



## 40' Flat Rack Containers



### We Specialize.

A fleet of over one million TEU's of dry van and refrigerated containers plus a full range of specialized containers: palletwides, flat racks, open tops, swap bodies, roll trailers and railcars. We have the equipment you need for intermodal transport, and the logistical expertise to put it work.

Find out more at <http://www.capps.com/equipment>

#### ANTWERP

*John Pacey*

Theater Building  
Molenbergstraat 10,  
Box 7 (19th Floor)  
2000 Antwerp,  
Belgium

T 32-3-685-1700  
E [jpacey@capps.com](mailto:jpacey@capps.com)

#### GENOA

*Silvio Como*

Genoa Logistic Services S.r.L.  
Via Pietro Chiesa 07, 8th floor  
16149 Genoa GE  
Italy

T 39-010-4694011  
F 39-010-6435352  
E [genoalog@glssrl.com](mailto:genoalog@glssrl.com)

#### HAMBURG

*Hendrik Wehlen*

Neuer Wall 84  
20354 Hamburg  
Germany

T +49-(0)40-32 96 96 8-0  
F +49-(0)40-32 96 96 8-99  
E [hwehlen@capps.com](mailto:hwehlen@capps.com)

#### LONDON

*John Pacey*

Kingsgate  
1 King Edward Road  
Brentwood Essex, CM14 4HG  
UK

T 44-1277-223-666  
F 44-1277-223-668  
E [jpacey@capps.com](mailto:jpacey@capps.com)

#### NEW JERSEY

*John Pearson*

P.O. Box 8471  
Red Bank, NJ 07701  
U.S.A.

T 914-319-7383  
F 415-788-3430  
E [jpearson@capps.com](mailto:jpearson@capps.com)

#### NEW JERSEY

*Amanda Gatzke*

P.O. Box 438  
Florham Park, NJ 07932  
U.S.A.

T 973-377-9103  
F 973-377-9319  
E [agatzke@capps.com](mailto:agatzke@capps.com)

#### SAN FRANCISCO

*Karen Szeto*

Steuart Tower, 1 Market Plaza  
Suite 900  
San Francisco, CA 94105  
U.S.A.

T 415-788-0100  
F 415-788-3430  
E [kszeto@capps.com](mailto:kszeto@capps.com)



# 40' Flat Rack Containers

## GENERAL SPECIFICATIONS:

	40' Flat Rack Containers
<b>External</b>	
LENGTH (Base Corner Casting)	12,192 mm
LENGTH (Tare condition, top castings)	12,202 mm max
LENGTH (Loaded to R, top castings)	12,172 mm min
WIDTH (Base bottom castings)	2,438 mm
HEIGHT (End frame erected)	2,591 mm
HEIGHT (End frame folded)	648 mm
<b>Internal</b>	
LENGTH (Between corner posts)	11,652 mm
WIDTH (Over bottom side rail)	2,374 mm
HEIGHT (side rail adjacent to post top castings)	1,959 mm
<b>Camber</b>	
	50 mm (after preloading)
<b>Stack Height</b>	
	Folds 4 into 2,591 mm
<b>Payload</b>	
	47,400 kg
<b>Tare Weight</b>	
	5,100 kg
<b>Max Gross Weight</b>	
	52,500 kg
<b>Floor Strength</b>	
	7,260 kg
<b>Gooseneck</b>	
	YES



40' Flat Rack Containers - (End frame erected)



40' Flat Rack Containers (End frame folded)

## Handling Devices

- 1, Lifting, full or empty, at the top corner fittings vertically by means of spreaders fitted with hooks, shackles or twistlocks.
- 2, Lifting, full or empty, at the bottom corner fittings using slings with appropriate terminal fittings at slings angle of thirty (30 ) degrees to horizontal.
- 3, Lifting, empty only, from a set of Forklift pockets.

## Stacking

8 high at 30,480 kg or 5 high at 52,500 kg gross.

*Dimensions and ratings within normal manufacturing tolerances. Measurements and weights may vary slightly for individual series.*



## 40' Open Top Containers



### We Specialize.

A fleet of over one million TEU's of dry van and refrigerated containers plus a full range of specialized containers: palletwides, flat racks, open tops, swap bodies, roll trailers and railcars. We have the equipment you need for intermodal transport, and the logistical expertise to put it work.

Find out more at <http://www.capps.com/equipment>

**ANTWERP**

*John Pacey*

Theater Building  
Molenbergstraat 10,  
Box 7 (19th Floor)  
2000 Antwerp,  
Belgium

T 32-3-685-1700

E [jpacey@capps.com](mailto:jpacey@capps.com)

**GENOA**

*Silvio Como*

Genoa Logistic Services S.r.L.  
Via Pietro Chiesa 07, 8th floor  
16149 Genoa GE  
Italy

T 39-010-4694011

F 39-010-6435352

E [genoalog@glssrl.com](mailto:genoalog@glssrl.com)

**HAMBURG**

*Hendrik Wehlen*

Neuer Wall 84  
20354 Hamburg  
Germany

T +49-(0)40-32 96 96 8-0

F +49-(0)40-32 96 96 8-99

E [hwehlen@capps.com](mailto:hwehlen@capps.com)

**LONDON**

*John Pacey*

Kingsgate  
1 King Edward Road  
Brentwood Essex, CM14 4HG  
UK

T 44-1277-223-666

F 44-1277-223-668

E [jpacey@capps.com](mailto:jpacey@capps.com)

**NEW JERSEY**

*John Pearson*

P.O. Box 8471  
Red Bank, NJ 07701  
U.S.A.

T 914-319-7383

F 415-788-3430

E [jpearson@capps.com](mailto:jpearson@capps.com)

**NEW JERSEY**

*Amanda Gatzke*

P.O. Box 438  
Florham Park, NJ 07932  
U.S.A.

T 973-377-9103

F 973-377-9319

E [agatzke@capps.com](mailto:agatzke@capps.com)

**SAN FRANCISCO**

*Karen Szeto*

Steuart Tower, 1 Market Plaza  
Suite 900  
San Francisco, CA 94105  
U.S.A.

T 415-788-0100

F 415-788-3430

E [kszeto@capps.com](mailto:kszeto@capps.com)



# 40' Open Top Containers

## GENERAL SPECIFICATIONS:

	40' Open Top Containers
<b>External</b>	
LENGTH	12,192 mm
WIDTH	2,438 mm
HEIGHT	2,591 mm
<b>Internal</b>	
LENGTH	12,032 mm
WIDTH	2,352 mm
HEIGHT	2,348 mm
<b>Door Opening</b>	
WIDTH	2,340 mm
HEIGHT	2,280 mm
<b>Roof Opening</b>	
WIDTH	2,232 mm
LENGTH	11,806 mm
<b>Swing Header Opening</b>	
WIDTH	1,940 mm
<b>Inside Cubic Capacity</b>	
	65.9 cu. M
<b>Payload</b>	
	26,680 kg
<b>Tare Weight</b>	
	3,800 kg
<b>Max Gross Weight</b>	
	30,480 kg
<b>Cubic Capacity</b>	
	79,6 cbm
<b>Floor Strength (ISO 1+1/3)</b>	
	7,260 kg



40' Open Top Containers



40' Open Top Containers

## Stacking

On Deck, 4 high stacking (based on MGW 30,480 kg),  
On Cell, 7 High stacking (based on MGW 30,480 kg).

*Dimensions and ratings within normal manufacturing tolerances. Measurements and weights may vary slightly for individual series. Priority design is with three Omega centre rails as floor spacer.*



# 40' & 45' High Cube Palletwide Containers



## We Specialize.

A fleet of over one million TEU's of dry van and refrigerated containers plus a full range of specialized containers: palletwides, flat racks, open tops, swap bodies, roll trailers and railcars. We have the equipment you need for intermodal transport, and the logistical expertise to put it work.

Find out more at <http://www.capps.com/equipment>

ANTWERP	BREMEN	GENOA	HAMBURG	LONDON	NEW JERSEY	NEW JERSEY	SAN FRANCISCO
<i>John Pacey</i>	<i>Torsten Cramer</i>	<i>Silvio Como</i>	<i>Hendrik Wehlen</i>	<i>John Pacey</i>	<i>John Pearson</i>	<i>Amanda Gatzke</i>	<i>Karen Szeto</i>
Theater Building Molenbergstraat 10, Box 7 (19th Floor) 2000 Antwerp, Belgium T 32-3-685-1700 E <a href="mailto:jpacey@capps.com">jpacey@capps.com</a>	Lahusenstrasse 1 DE-27749 Delmenhorst Germany T 49-0-4221-685870 F 49-0-4221-685877 E <a href="mailto:tcramer@capps.com">tcramer@capps.com</a>	Genoa Logistic Services Sr.L. Via Pietro Chiesa 07, 8 <sup>th</sup> floor 16149 Genoa GE Italy T 39-010-4694011 F 39-010-6435352 E <a href="mailto:genoalog@glssrl.com">genoalog@glssrl.com</a>	Neuer Wall 84 20354 Hamburg Germany T +49-(0)40-32 96 96 8-0 F +49-(0)40-32 96 96 8-99 E <a href="mailto:hwehlen@capps.com">hwehlen@capps.com</a>	Kingsgate 1 King Edward Road Brentwood Essex, CM14 4HG UK T 44-1277-223-666 F 44-1277-223-668 E <a href="mailto:jpacey@capps.com">jpacey@capps.com</a>	P.O. Box 8471 Red Bank, NJ 07701 U.S.A. T 914-319-7383 F 415-788-3430 E <a href="mailto:jpearson@capps.com">jpearson@capps.com</a>	P.O. Box 438 Florham Park, NJ 07932 U.S.A. T 973-377-9103 F 973-377-9319 E <a href="mailto:agatzke@capps.com">agatzke@capps.com</a>	Steuart Tower, 1 Market Plaza Suite 900 San Francisco, CA 94105 U.S.A. T 415-788-0100 F 415-788-3430 E <a href="mailto:kszeto@capps.com">kszeto@capps.com</a>



# 40' & 45' High Cube Palletwide Containers

## GENERAL SPECIFICATIONS:

	40' (9'6")	45' (9'6")	45' (9'6") Domex Steel
<b>External</b>			
LENGTH	12.192 mm	13.716 mm	13.716 mm
WIDTH	2.500 mm	2.500 mm	2.500 mm
HEIGHT	2.896 mm	2.896 mm	2.896 mm
<b>Internal</b>			
LENGTH	12.095 mm	13.543 mm	13.543 mm
WIDTH (between siderails/posts)	2.426 mm	2.426 mm	2.426 mm
WIDTH (between panels)	2.444 mm	2.444 mm	2.444 mm
HEIGHT	2.692 mm	2.698 mm (under roof-panel except in 40' top casting position)	2.698 mm (under roof-panel except in 40' top casting position)
<b>Door Opening</b>			
WIDTH	2.400 mm	2.408 mm	2.408 mm
HEIGHT	2.584 mm	2.585 mm	2.585 mm
<b>Payload</b>			
	29.620 kg	29.150 kg	29.520 kg
<b>Tare Weight</b>			
	4.380 kg	4.850 kg	4.480 kg
<b>Max Gross Weight</b>			
	34.000 kg	34.000 kg	34.000 kg
<b>Cubic Capacity</b>			
	79.6 cbm	89.3 cbm	89.3 cbm
<b>Floor Strength (ISO 1+1/3)</b>			
	7.260 kg	7.260 kg	7.260 kg
<b>UIC Code</b>			
	C44	C44	C44
<b>Gooseneck</b>			
	YES	YES	YES
<b>Pallet Capacity</b>			
EURO PALLET (800 x 1.200mm)	30	33	33
INDUSTRIAL PALLET (1.000 x 1.200mm)	24	26	26



### 40' X 2.5M X 9'6" HIGH CUBE PALLETWIDE CONTAINER:

#### Handling Devices

Top and bottom castings in ISO 40' position and grappler pockets.

#### Stacking

On Deck: 4 high stacking. In Cell: 7 high stacking (based on MGW 30840 kg).

### 45' X 2.5M X 9'6" HIGH CUBE PALLETWIDE CONTAINER:

#### Handling Devices

Top and bottom castings in ISO 40' and 45' position. Grappler pockets and sling fittings. The units can be locked in 40' position in the base from the front /rear end.

#### Stacking

On Deck, 4 high stacking at the 40' Intermediate frames (based on MGW 30480 kg), 7 high stacking at the 45' end frames (based on MGW 30480 kg).

*Dimensions and ratings within normal manufacturing tolerances. Measurements and weights may vary slightly for individual series.*



## Rolltrailers



### We Specialize.

A fleet of over one million TEU's of dry van and refrigerated containers plus a full range of specialized containers: palletwides, flat racks, open tops, swap bodies, roll trailers and railcars. We have the equipment you need for intermodal transport, and the logistical expertise to put it work.

Find out more at <http://www.capps.com/equipment>

#### ANTWERP

*John Pacey*

Theater Building  
Molenbergstraat 10,  
Box 7 (19th Floor)  
2000 Antwerp,  
Belgium

T 32-3-685-1700  
E [jpacey@capps.com](mailto:jpacey@capps.com)

#### BREMEN

*Torsten Cramer*

Lahusenstrasse 1  
DE-27749 Delmenhorst  
Germany

T 49-0-4221-685870  
F 49-0-4221-685877  
E [tcramer@capps.com](mailto:tcramer@capps.com)

#### GENOA

*Silvio Como*

Genoa Logistic Services S.r.L.  
Via Pietro Chiesa 07, 8th floor  
16149 Genoa GE  
Italy

T 39-010-4694011  
F 39-010-6435352  
E [genoalog@glssrl.com](mailto:genoalog@glssrl.com)

#### LONDON

*John Pacey*

Kingsgate  
1 King Edward Road  
Brentwood Essex, CM14 4HG  
UK

T 44-1277-223-666  
F 44-1277-223-668  
E [jpacey@capps.com](mailto:jpacey@capps.com)

#### NEW JERSEY

*John Pearson*

P.O. Box 8471  
Red Bank, NJ 07701  
U.S.A.

T 914-319-7383  
F 415-788-3430  
E [jpearson@capps.com](mailto:jpearson@capps.com)

#### NEW JERSEY

*Amanda Gatzke*

P.O. Box 438  
Florham Park, NJ 07932  
U.S.A.

T 973-377-9103  
F 973-377-9319  
E [agatzke@capps.com](mailto:agatzke@capps.com)

#### SAN FRANCISCO

*Karen Szeto*

Steuart Tower, 1 Market Plaza  
Suite 900  
San Francisco, CA 94105  
U.S.A.

T 415-788-0100  
F 415-788-3430  
E [kszeto@capps.com](mailto:kszeto@capps.com)



# Rolltrailers

## GENERAL SPECIFICATIONS:

	40' Rolltrailer	62' Rolltrailer	72' Rolltrailer
<b>External</b>			
LENGTH	12.395 mm	18.900 mm	22.000 mm
WIDTH	2.590 mm	2.600 mm	2.800 mm
HEIGHT	770 mm	850 mm	970 mm
GROUND CLEARANCE	265 mm	285 mm	370 mm
<b>Type of Rolltrailer</b>			
	40' 100-ton	62' 100-ton	72' 90-ton
<b>Loading Capacity</b>			
	100 ton	100 ton	90 ton
<b>Tare Weight</b>			
	8.200 kg	11.200 kg	13.500 kg



40' 100-ton Rolltrailer



62' 100-ton Rolltrailer



72' 90-ton Rolltrailer

## Optional Features

Plank flooring, stacking-plates, forklift pockets, cargo- and ferrylashing points, safety ring, safety hooks, ISO-openings for 20' and 40' containers.

*Dimensions and ratings within normal manufacturing tolerances.  
Measurements and weights may vary slightly for individual series.*